



Material Safety Data Sheet
LESCO® BANDIT™ 75 WSP INSECTICIDE

MSDS Number: 102000007120
 MSDS Version 1.5
 Revision Date: 01/31/2008

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name LESCO® BANDIT™ 75 WSP INSECTICIDE
MSDS Number 102000007120
EPA Registration No. 432-1318

Bayer Environmental Science
 2 T.W. Alexander Drive
 Research Triangle PK, NC 27709
 USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)
 For Product Information call: 1-800-331-2867

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Imidacloprid	138261-41-3	75.00

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

<u>Emergency Overview</u>	Caution! Harmful if swallowed, inhaled or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes and clothing. Avoid breathing dust or vapor.
Physical State	solid powder
Odor	none
Appearance	off-white
Routes of Exposure	Ingestion, Eye contact, Skin contact, Skin Absorption, Inhalation
Immediate Effects	
Eye	Causes eye irritation. Avoid contact with eyes.
Skin	Harmful if absorbed through skin. Avoid contact with skin and clothing.
Ingestion	Harmful if swallowed. Do not take internally.
Inhalation	Harmful if inhaled. Avoid breathing dust or vapor.
Chronic or Delayed Long-Term	This product or its components may have target organ effects.



Material Safety Data Sheet

LESCO® BANDIT™ 75 WSP INSECTICIDE

MSDS Number: 102000007120
MSDS Version 1.5

Potential Environmental Effect Highly toxic to aquatic invertebrates. Highly toxic to bees.

SECTION 4. FIRST AID MEASURES

General	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Eye	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Skin	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Notes to Physician Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash point	not applicable
Suitable Extinguishing Media	Water, Carbon dioxide (CO2), Foam, Dry chemical
Fire Fighting Instructions	Keep out of smoke. Fight fire from upwind position. Cool closed containers/ tanks exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES



Material Safety Data Sheet

LESCO® BANDIT™ 75 WSP INSECTICIDE

MSDS Number: 102000007120
MSDS Version 1.5

Personal Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.
Methods for Cleaning Up	Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.
Additional Advice	Use personal protective equipment.

SECTION 7. HANDLING AND STORAGE

Handling Procedures	Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.
Storing Procedures	Protect from freezing. Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.
Work/Hygienic Procedures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash thoroughly and put on clean clothing. Remove soiled clothing immediately and clean thoroughly before using again. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Wash thoroughly and put on clean clothing.
Min/Max Storage Temperatures	Recommended maximum transport/storage temperature: 38 °C / 100 °F The 30-day storage temperature average must not exceed the recommended maximum.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection	Train employees in safe use of the product. Follow all label instructions. Do not allow children or pets to enter the treated area until it has dried. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.
Eye/Face Protection	Tightly fitting safety goggles
Hand Protection	Chemical resistant nitrile rubber gloves
Body Protection	Wear long-sleeved shirt and long pants and shoes plus socks.



Material Safety Data Sheet

LESCO® BANDIT™ 75 WSP INSECTICIDE

MSDS Number: 102000007120
MSDS Version 1.5

Respiratory Protection When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits This product contains material which are Trade Secret and may have Occupational Exposure Limits. If more information is required, call the product information number listed in Section 1.

Imidacloprid	138261-41-3	OES BCS*	0.7 mg/m3
--------------	-------------	----------	-----------

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	off-white
Physical State	solid powder
Odor	none
pH	7 (1 %) suspension in water
Bulk Density	30 lb/ft ³ (bulk density tapped)
Water solubility	dispersible

SECTION 10. STABILITY AND REACTIVITY

Hazardous Decomposition Products	Thermal decomposition Hydrogen cyanide (hydrocyanic acid) Carbon monoxide Nitrogen oxides (NOx) Hydrogen chloride (HCl)
---	---

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been conducted on this product as formulated. The non-acute information pertains to the active ingredient, imidacloprid.

Acute Oral Toxicity	male rat: LD50: 2,591 mg/kg
	female rat: LD50: 1,858 mg/kg
Acute Dermal Toxicity	male/female combined rat: LD50: > 2,000 mg/kg



Material Safety Data Sheet

LESCO® BANDIT™ 75 WSP INSECTICIDE

MSDS Number: 102000007120
MSDS Version 1.5

Acute Inhalation Toxicity male rat: LC50: 2.65 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
(actual)

female rat: LC50: 2.75 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
(actual)

male rat: LC50: 10.6 mg/l
Exposure time: 1 h
Determined in the form of liquid aerosol.
Extrapolated from the 4 hr LC50.
(actual)

female rat: LC50: 11.0 mg/l
Exposure time: 1 h
Determined in the form of liquid aerosol.
Extrapolated from the 4 hr LC50.
(actual)

Skin Irritation rabbit: Slight irritation.

Eye Irritation rabbit: Mild eye irritation.

Sensitization guinea pig: Non-sensitizing.

Chronic Toxicity Imidacloprid caused thyroid and/or liver effects in chronic dietary studies in rats and dogs.

Assessment Carcinogenicity

Imidacloprid was not carcinogenic in studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Reproductive & Developmental Toxicity

REPRODUCTION: Imidacloprid was not a reproductive toxicant in a multi-generation study in rats.

DEVELOPMENTAL TOXICITY: Imidacloprid is not considered a primary developmental toxicant in rats and rabbits. Developmental effects were observed at doses that caused maternal toxicity.



Material Safety Data Sheet

LESCO® BANDIT™ 75 WSP INSECTICIDE

MSDS Number: 102000007120
MSDS Version 1.5

Neurotoxicity Imidacloprid showed slight behavioral and activity changes only at the highest dose tested in neurotoxicity studies in rats. There were no correlating morphological changes observed in the neural tissues.

Mutagenicity Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not allow to get into surface water, drains and ground water.

Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.

Container Disposal Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION:
Not regulated for Domestic Surface Transportation

FREIGHT CLASSIFICATION:
Insecticides or Fungicides, N.O.I., other than poison

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 432-1318

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.



Material Safety Data Sheet

LESCO® BANDIT™ 75 WSP INSECTICIDE

MSDS Number: 102000007120
MSDS Version 1.5

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Reactivity - 1 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated for general editorial purposes.

Revision Date: 01/31/2008

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.