Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 08/06/2014 Date of issue: 07/10/2009

Version: 2.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier Product Form: Mixture

Product Name: LESCO® LockUp Extra 2 Plus Fertilizer **Product Code:** EPA Registration No.: 62719-590-10404

Synonyms: Penoxsulam: 2-(2,2-difluoroethoxy)-N-(5,8-dimethoxy {1,2,4}Triazolo[1,5-c]pyrimidin-2-yl)-6-(trifluoromethyl); 2,4-

Dichlorophenoxyacetic acid; Dicamba: 3,6-dichloro-o-anisic acid

1.2. Intended Use of the Product

Use of the substance/mixture: Pesticide & Fertiizer

1.3. Name, Address, and Telephone of the Responsible Party

Company

LESCO, Inc. 1385 East 36th St Cleveland, OH 44114 T: 800-347-4272

1.4. Emergency Telephone Number

Emergency Number : 1-800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC - Day or Night

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US)

 Skin Irrit. 2
 H315

 Eye Irrit. 2A
 H319

 Skin Sens. 1
 H317

 STOT SE 3
 H335

 Aquatic Acute 2
 H401

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.H319 - Causes serious eye irritation.H335 - May cause respiratory irritation.

H401 - Toxic to aquatic life.

Precautionary Statements (GHS-US) : P261 - Avoid breathing dust/fume.

P264 - Wash exposed areas. thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 - If on skin: Wash with plenty of water

P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a poison center/doctor if you feel unwell.

P321 - Specific treatment (see Section 4).

P332 + P313 - If skin irritation occurs: Get medical advice/attention.
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

08/06/2014 EN (English US) 1/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P362 + P364 - Take off contaminated clothing and wash it before reuse.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

 ${\sf P501}$ - Dispose of contents/container according to local, regional, national, and international regulations.

2.3. Other Hazards

Other Hazards: This product is not classified as a combustible dust due to the size of the granules, however, if sufficient dust is generated, it can present a combustible dust hazard.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
2,4-D	(CAS No) 94-75-7	<= 1.04	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Dicamba	(CAS No) 1918-00-9	<= 0.08	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Penoxsulam	(CAS No) 219714-96-2	<= 0.01	Not classified
Urea	(CAS No) 57-13-6	0.1 - 98	Not classified
Sulfuric acid, dipotassium salt	(CAS No) 7778-80-5	0.1 - 95	Not classified
Diammonium phosphate	(CAS No) 7783-28-0	0.1 - 95	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335 Aquatic Acute 3, H402
Potassium chloride	(CAS No) 7447-40-7	0.1 - 95	Aquatic Acute 3, H402
Monoammonium phosphate	(CAS No) 7722-76-1	0.1 - 95	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
Ammonium sulfate	(CAS No) 7783-20-2	0.1 - 95	Aquatic Acute 2, H401
Urea, polymer with formaldehyde	(CAS No) 9011-05-6	0.1 - 95	Not classified
Limestone	(CAS No) 1317-65-3	0.1 - 20	Not classified
Sulfur	(CAS No) 7704-34-9	0.1 - 10	Comb. Dust Flam. Sol. 2, H228 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Aquatic Acute 3, H402
Iron oxide (Fe2O3)	(CAS No) 1309-37-1	0.1 - 10	Not classified
Magnesium sulfate	(CAS No) 7487-88-9	0.1 - 10	Skin Sens. 1, H317
Ferrous sulfate	(CAS No) 7720-78-7	0.1 - 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400
Manganese oxide (Mn3O4)	(CAS No) 1317-35-7	0.1 - 10	Not classified

08/06/2014 EN (English US) 2/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sulfate of Potash-Magnesia	(CAS No) 14977-37-8	0.1 - 10	Not classified
Carbonic acid, magnesium salt (1:1), mixture with magnesium hydroxide (Mg(OH)2), hydrate	(CAS No) 39409-82-0	0.1 - 10	Not classified
Biosolids	(CAS No) Not assigned	0.1 - 10	Not classified

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: If medical advice is needed, have product container or label at hand. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

First-aid Measures After Inhalation: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash skin thoroughly with mild soap and water. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists.

First-aid Measures After Ingestion: Rinse mouth. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Call a POISON CENTER/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Eye irritation. Causes skin irritation. May cause an allergic reaction in sensitive individuals. May cause respiratory irritation.

Symptoms/Injuries After Inhalation: Irritating to the respiratory system and mucous membranes. May cause drowsiness or dizziness.

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Alcohol foam, dry chemical, carbon dioxide, water spray, fog. Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use water jet. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Dust generated from processing may present a dust exploision hazard. Decomposes above 132 °C (270 °F). Under conditions of fire this material may produce: Ammonia. Nitrogen oxides.

Explosion Hazard: May form explosive compounds if mixed with: Calcium hypochlorite. Sodium hypochlorite. Nitrates. Nitric acid. Perchloric acid. Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive.

Reactivity: This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

5.3. Advice for Firefighters

Firefighting Instructions: Not flammable. Exercise caution when fighting any chemical fire.

Protection During Firefighting: Firefighters must use full bunker gear including NIOSH-approved positive-pressure self-contained breathing apparatus to protect against potential hazardous combustion and decomposition products.

Other information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Handle in accordance with good industrial hygiene and safety practice. This material becomes slippery when wet. Avoid all eyes and skin contact and do not breathe vapor and mist. Do not allow product to spread into the environment.

6.1.1. For Non-emergency Personnel

Protective Equipment: Wear suitable protective clothing, gloves and eye/face protection. Use appropriate personal protection equipment (PPE).

Emergency Procedures: Collect as any solid. Ventilate area. Evacuate unnecessary personnel.

08/06/2014 EN (English US) 3/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For Emergency Responders

Protective Equipment: Wear suitable protective clothing, gloves and eye/face protection. Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

Emergency Procedures: If possible, stop flow of product. Contain and collect as any solid. Evacuate unnecessary personnel. Ventilate area.

6.2. Environmental Precautions

Avoid release to the environment. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain and collect as any solid. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

Methods for Cleaning Up: Recover the product by vacuuming, shovelling or sweeping. Avoid generation of dust during clean-up of spills. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Material may be used if uncontaminated. Clear up spills immediately and dispose of waste safely.

6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: This material becomes slippery when wet.

Precautions for Safe Handling: Wear recommended personal protective equipment. Avoid creating or spreading dust. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume. Use only outdoors or in a well-ventilated area.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Wash hands and forearms thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do no eat, drink or smoke when using this product.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Keep container closed when not in use.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

Prohibitions on mixed storage: Store away from: Ammonium nitrate. Refer to Section 10 on Incompatible Materials.

Special Rules on Packaging: Corrosive to copper and its alloys.

7.3. Specific End Use(s)

Fertilizer.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Limestone (1317-65-3)				
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m ³		
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³		
Iron oxide (F	Iron oxide (Fe2O3) (1309-37-1)			
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m ³		
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m ³		
USA IDLH	US IDLH (mg/m³)	2500 mg/m ³		
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³		
2,4-D (94-75-	2,4-D (94-75-7)			
USA ACGIH	ACGIH TWA (mg/m³)	10 mg/m ³		
USA NIOSH	NIOSH REL (TWA) (mg/m³)	10 mg/m ³		
USA IDLH	US IDLH (mg/m³)	100 mg/m ³		
USA OSHA	OSHA PEL (TWA) (mg/m³)	10 mg/m ³		

8.2. Exposure Controls

Appropriate Engineering Controls : Ensure all national/local regulations are observed.

08/06/2014 EN (English US) 4/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal Protective Equipment : Gloves. Safety glasses. Protective clothing. Insufficient ventilation: wear respiratory

protection.









Materials for Protective Clothing : Chemically resistant materials and fabrics.

Hand Protection : Impermeable protective gloves.

Eye Protection : Safety glasses.

Skin and Body Protection : Wear rubber boots. Wear suitable protective clothing.

Respiratory Protection : Use NIOSH-approved air-purifying or supplied-air respirator where airborne

concentrations of dust are expected to exceed exposure limits. . Wear approved

mask.

Environmental Exposure Controls : Ensure adequate ventilation, especially in confined areas.

Other Information : When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State : Solid

Appearance : Multi-colored granular mixture

Odor: Slight phenoxyOdor Threshold: No data availablepH: No data available

pH solution : 10 %

Evaporation rate : No data available

Melting Point : 212 °C (413.6°F) (Penoxsulam)

Freezing Point : No data available **Boiling Point** : No data available **Flash Point** : No data available **Auto-ignition Temperature** : No data available : No data available **Decomposition Temperature** Flammability (solid, gas) : No data available **Vapor Pressure** : No data available Relative Vapor Density at 20 °C : No data available **Relative Density** : No data available

Density : 56 - 60

Solubility: Water: PartiallyPartition coefficient: n-octanol/water: No data availableViscosity: No data available

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

- **10.1 Reactivity:** This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).
- 10.2 Chemical Stability: Stable at standard temperature and pressure.
- 10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4 Conditions to Avoid:** Protect from moisture. Keep away from heat. Direct sunlight. Extremely high or low temperatures. Sparks, heat, open flame and other sources of ignition.
- 10.5 Incompatible Materials: Strong oxidizers. Strong bases.
- **10.6 Hazardous Decomposition Products:** Under conditions of fire this material may produce: Nitrogen oxides. Ammonia. Carbon oxides (CO, CO2). Formaldehyde.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

08/06/2014 EN (English US) 5/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LESCO® LockUp Extra 2 Plus Fertilizer		
LD50 Dermal Rat	mg/kg	
Urea (57-13-6)		
LD50 Oral Rat	8471 mg/kg	
ATE (Oral)	8,471.00 mg/kg body weight	
Sulfuric acid, dipotassium salt (7778-80-5)		
LD50 Oral Rat	6600 mg/kg	
ATE (Oral)	6,600.00 mg/kg body weight	
Diammonium phosphate (7783-28-0)		
LD50 Oral Rat	6500 mg/kg	
LD50 Dermal Rabbit	> 7950 mg/kg	
ATE (Oral)	6,500.00 mg/kg body weight	
Potassium chloride (7447-40-7)		
LD50 Oral Rat	2600 mg/kg	
ATE (Oral)	2,600.00 mg/kg body weight	
Monoammonium phosphate (7722-76-1)		
LD50 Oral Rat	5750 mg/kg	
LD50 Dermal Rabbit	> 7940 mg/kg	
ATE (Oral)	5,750.00 mg/kg body weight	
Ammonium sulfate (7783-20-2)		
LD50 Oral Rat	> 2000 mg/kg	
Sulfur (7704-34-9)		
LD50 Oral Rat	> 3000 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat	> 9.23 mg/l/4h	
Iron oxide (Fe2O3) (1309-37-1)		
LD50 Oral Rat	> 10000 mg/kg	
Urea, polymer with formaldehyde (9011-05-6)		
LC50 Inhalation Rat	> 167 mg/m³ (Exposure time: 4 h)	
Ferrous sulfate (7720-78-7)		
LD50 Oral Rat	237 mg/kg	
ATE (Oral)	237.00 mg/kg body weight	
Dicamba (1918-00-9)		
ATE (Oral)	500.00 mg/kg body weight	
2,4-D (94-75-7)		
LD50 Oral Rat	370 mg/kg Lewis & Sweet 1984	
ATE (Oral)	370.00 mg/kg body weight	
Skin Corrosion/Irritation: Causes skin irritation		

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Iron oxide (Fe2O3) (1309-37-1)		
IARC group	3	
2,4-D (94-75-7)		
IARC group	2B	

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Irritating to the respiratory system and mucous membranes. May cause drowsiness or dizziness.

08/06/2014 EN (English US) 6/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None known.

SECTION 12: ECOLOGICAL INFORMATION

404	_	•	• •
12.1.	I O	V I 1	~1#\
14.1.	To	VI.	-1 L Y

Ecology - General : Harmful to aquatic life with long lasting effects.

Ecology - General	: Harmful to aquatic life with long lasting effects.			
Urea (57-13-6)				
LC50 Fish 1	16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)			
EC50 Daphnia 1	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
Sulfuric acid, dipotassium salt (7778-80-5)				
LC50 Fish 1	653 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)			
EC50 Daphnia 1	890 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
LC 50 Fish 2	3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])			
Diammonium phosphate (7783-28-0)				
LC50 Fish 1	26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)			
LC 50 Fish 2	24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])			
Potassium chloride (7447-40-7)				
LC50 Fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])			
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
LC 50 Fish 2	750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
Ammonium sulfate (7783-20-2)				
LC50 Fish 1	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])			
EC50 Daphnia 1	14 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
LC 50 Fish 2	32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-			
	through])			
Sulfur (7704-34-9)				
LC50 Fish 1	866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])			
LC 50 Fish 2	14 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])			
Magnesium sulfate (7487-88-9)				
LC50 Fish 1	2610 - 3080 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
EC50 Daphnia 1	266.4 - 417.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
Ferrous sulfate (7720-78-7)				
LC50 Fish 1	925 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])			
EC50 Daphnia 1	152 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
LC 50 Fish 2	0.56 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])			
EC50 Daphnia 2	6.15 - 9.26 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
2,4-D (94-75-7)				
LC50 Fish 1	20 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])			
EC50 Daphnia 1	17.6 - 32.6 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
LC 50 Fish 2	127.9 - 141.7 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])			

12.2. Persistence and Degradability

LESCO® LockUp Extra 2 Plus Fertilizer	
Persistence and Degradability	May cause long-term adverse effects in the environment. This product is water
	soluble and eventually biodegrades into elemental nitrogen. Exess nitrogen and
	nitrates in a body of water will contribute to eutrophication with visible effects such
	as toxic algae bloom.

12.3. Bioaccumulative Potential

LESCO® LockUp Extra 2 Plus Fertilizer		
Bioaccumulative Potential Not established.		
Urea (57-13-6)		
BCF fish 1	< 10	

08/06/2014 EN (English US) 7/11

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Log Pow	-1.59 (at 25 °C)	
Diammonium phosphate (7783-28-0)		
BCF fish 1	(no bioaccumulation expected)	
Monoammonium phosphate (7722-76-1)		
BCF fish 1	(no bioaccumulation expected)	
Ammonium sulfate (7783-20-2)		
Log Pow	-5.1 (at 25 °C)	
Dicamba (1918-00-9)		
Log Pow	2.21	
2,4-D (94-75-7)		
BCF fish 1	< 10	
Log Pow	2.58 - 2.83 (at 25 °C)	

- 12.4. Mobility in Soil No additional information available
- 12.5. **Other Adverse Effects**

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Treatment Methods: Pesticide: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures. Or call (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain. Container: Do not reuse bag. Dispose of emptied bag(s) in a sanitary landfill approved for pesticide disposal, or by incineration.

Additional Information: Dispose of waste material in accordance with all local, regional, national, and international regulations. Ecology - Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT Not regulated for transport 14.2 In Accordance with IMDG Not regulated for transport 14.3 In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1 **US Federal Regulations**

LESCO® LockUp Extra 2 Plus Fertilizer	
EPA TSCA Regulatory Flag	This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
Urea (57-13-6)	
Listed on the United States TSCA (Toxic Substance	ces Control Act) inventory
Sulfuric acid. dipotassium salt (7778-80-5)	

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Diammonium phosphate (7783-28-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Potassium chloride (7447-40-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Monoammonium phosphate (7722-76-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ammonium sulfate (7783-20-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Sulfur (7704-34-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

08/06/2014 EN (English US) 8/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Limestone (1317-65-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Iron oxide (Fe2O3) (1309-37-1)	-

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Magnesium sulfate (7487-88-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Urea, polymer with formaldehyde (9011-05-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ferrous sulfate (7720-78-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Manganese oxide (Mn3O4) (1317-35-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Dicamba (1918-00-9)		
Listed on SARA Section 313 (Specific toxic chemical listings)		
SARA Section 313 - Emission Reporting	1.0 %	
2,4-D (94-75-7)		

<i>-,</i>	7 (5-	,,,	•	<u>, </u>
Liste	d on	the	ι	Jnit

isted on the United States TSCA (Toxic Substances Control Act) inventory

	Listed on SARA Section 313 (Specific toxic chemical listings)		
EPA TSCA Regulatory Flag		T - T - indicates a substance that is the subject of a Section 4 test rule	
		under TSCA.	
	SARA Section 313 - Emission Reporting	0.1 %	

15.2 **US State Regulations**

Ammonium sulfate (7783-20-2)

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Sulfur (7704-34-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Limestone (1317-65-3)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Iron oxide (Fe2O3) (1309-37-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Ferrous sulfate (7720-78-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Manganese oxide (Mn3O4) (1317-35-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Dicamba (1918-00-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

08/06/2014 EN (English US) 9/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,4-D (94-75-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 08/06/2014

 Other Information
 : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200.

GHS Full Text Phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1	
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2	
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3	
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3	
Comb. Dust	Combustible Dust	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B	
Flam. Sol. 2	Flammable solids Category 2	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization Category 1	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H228	Flammable solid	
	May form combustible dust concentrations in air	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H320	Causes eye irritation	
H335	May cause respiratory irritation	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H412	Harmful to aquatic life with long lasting effects	


NFPA Health Hazard

: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA Fire Hazard NFPA Reactivity

: 1 - Must be preheated before ignition can occur.: 0 - Normally stable, even under fire exposure

conditions, and are not reactive with water.



HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard
Physical : 0 Minimal Hazard

08/06/2014 EN (English US) 10/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IMPORTANT: The information contained herein is based on available data. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof; and you should make your investigation to determine safety for the use you contemplate. LESCO makes no warranty of merchantability of fitness for a particular use, nor is there any other express or implied warranty except as may be specifically provided otherwise on product. LESCO, Inc. assumes no responsibility or liability for any incidental or consequential damages whether related to personal injury or property damage, to vendees, users or third parties, caused by the material and LESCO's responsibility is limited to replacement of, or repayment of, the purchase price for the material(s) with respect to which any damages are claimed. All vendees or users assume all risk associated with the use of the material(s).

SDS US (GHS HazCom) - US Only 10 pt 2

08/06/2014 EN (English US) 11/11